

# Rhotex 325

## Technical Specifications

---

**Printing system:**

Transfer and direct to polyester based textile with patented roll to roll transport system and Durst WTS printhead technology

---

**Printing mode and resolution:**

Variable and binary drop size  
400 x 600 dpi (7-14-21 pl); 800 x 600 dpi (7 pl)

---

**Productivity:**

Backlit mode: 130 m<sup>2</sup>/h (1,400 sq ft/h)  
Production Mode: 170 m<sup>2</sup>/h (1,800 sq ft/h)  
High Speed Mode: up to 390 m<sup>2</sup>/h (4,130 sq ft/h)

---

**Colors:**

Standard: CMYK  
Optional: Light Cyan and Magenta, Gray, PCA

---

**Maximum printing width:**

3.200 mm (126 in)

---

**Maximum roll diameter:**

Standard: 400 mm (16 in)

---

**Maximum media thickness:**

Textiles: 2 mm (0.08 in); Transfer paper: 0,15 mm (0.01 in)

---

**Media types:**

Transfer paper, wide range of coated and uncoated polyester fabrics.

---

**Inks:**

Dye Sub Inks Oeko-Tex Standard 100 conform, for odorless, 100% VOC free and skin friendly products for indoor and outdoor applications

---

**Optional:**

Big roll system for printing roll up to 700 mm (27.5 in) diameter Direct printing kit

---